





REVISIONS				
ZONE	REV.	DESCRIPTION	DATE	APPROVED
	P	PRELIMINARY - INITIAL RELEASE	06/04/2024	CH

NOTES:

1)

HAMMONDS
DOC. APPROVED FOR
INITIAL RELEASE
ENG. CHANGE
X-REVISION P
DATE 06/04/2024
BY S.S.

MATERIAL:	UNLESS OTHERWISE SPECIFIED: ALL DIMENSIONS ARE IN INCHES. DIMENSIONS IN [] ARE IN MM. FRACTIONS: ± 1/16" DECIMALS: .x ± .030 .xx ± .015 .xxx ± .005 ANGLES: MACHINED ± 0° 30' OTHERS ± 5° CONCENTRICITY: .005 T.I.R. BREAK CORNERS: .005 MIN. FILLET RADIUS: .030 - .060 SURFACE FINISH: 125 RMS	 HAMMONDS TECHNICAL SERVICES INC www.hammondscos.com	TITLE: HTS-10-P2 GENERAL ASSEMBLY PN:HTS-10-0029			
			DRAWN: CLD			




REVISIONS				
ZONE	REV.	DESCRIPTION	DATE	APPROVED
	P	PRELIMINARY - INITLA RELEASE	06/04/2024	CH

NOTES:

1)

MATERIAL:	UNLESS OTHERWISE SPECIFIED: ALL DIMENSIONS ARE IN INCHES. DIMENSIONS IN [] ARE IN MM. FRACTIONS: ±1/16" DECIMALS: .x ± .030 .xx ± .015 .xxx ± .005 ANGLES: MACHINED ±0° 30' OTHERS ±5° CONCENTRICITY: .005 T.I.R. BREAK CORNERS: .005 MIN. FILLET RADIUS: .030 - .060 SURFACE FINISH: 125 RMS	 HAMMONDS TECHNICAL SERVICES INC www.hammondscos.com	THIS DOCUMENT CONTAINS INFORMATION WHICH IS PROPRIETARY TO HAMMONDS TECHNICAL SERVICES INC. THE INFORMATION CONTAINED HEREIN SHALL NOT BE DISCLOSED, DUPLICATED, USED IN WHOLE OR IN PART FOR ANY PURPOSE OTHER THAN TO EVALUATE THIS DOCUMENT WITHOUT WRITTEN CONSENT OF HAMMONDS TECHNICAL SERVICES, INC..			
			TITLE: HTS-10-P2 GENERAL ASSEMBLY PN:HTS-10-0029			
			DRAWN: CLD			




REVISIONS				
ZONE	REV.	DESCRIPTION	DATE	APPROVED
	P	PRELIMINARY - INITIAL RELEASE	06/04/2024	CH

NOTES:

1)

MATERIAL:	UNLESS OTHERWISE SPECIFIED: ALL DIMENSIONS ARE IN INCHES. DIMENSIONS IN [] ARE IN MM. FRACTIONS: ± 1/16" DECIMALS: .x ± .030 .xx ± .015 .xxx ± .005 ANGLES: MACHINED ± 0° 30' OTHERS ± 5° CONCENTRICITY: .005 T.I.R. BREAK CORNERS: .005 MIN. FILLET RADIUS: .030 - .060 SURFACE FINISH: 125 RMS	 HAMMONDS TECHNICAL SERVICES INC www.hammondscos.com	THIS DOCUMENT CONTAINS INFORMATION WHICH IS PROPRIETARY TO HAMMONDS TECHNICAL SERVICES INC. THE INFORMATION CONTAINED HEREIN SHALL NOT BE DISCLOSED, DUPLICATED, USED IN WHOLE OR IN PART FOR ANY PURPOSE OTHER THAN TO EVALUATE THIS DOCUMENT WITHOUT WRITTEN CONSENT OF HAMMONDS TECHNICAL SERVICES, INC.. DRAWN: CLD DATE: 05/08/2024 ENGR: S.S. DATE: 01/01/2023 PR MGR: DATE: eSIGNATURES ON FILE				TITLE: HTS-10-P2 GENERAL ASSEMBLY PN:HTS-10-0029			
COATING:			 3RD ANGLE PROJECTION		DO NOT SCALE					
			SIZE C	DWG. NO.	HTS-10-0029	REV. P				
			SCALE: NTS	WEIGHT: 190.04 LBS	SHEET 3 OF 4					

HAMMONDS
DOC. APPROVED FOR
INITIAL RELEASE
ENG. CHANGE
X-REVISION _P_
DATE 06/04/2024
BY _S.S._



REVISIONS				
ZONE	REV.	DESCRIPTION	DATE	APPROVED
	P	PRELIMINARY - INITIAL RELEASE	06/04/2024	CH

NOTES:

1)

END VIEW - REAR

HAMMONDS
DOC. APPROVED FOR

INITIAL RELEASE

ENG. CHANGE

X-REVISION _P_

DATE 06/04/2024

BY _S.S._

MATERIAL:		UNLESS OTHERWISE SPECIFIED: ALL DIMENSIONS ARE IN INCHES. DIMENSIONS IN [] ARE IN MM. FRACTIONS: $\pm 1/16"$ DECIMALS: .x $\pm .030$.xx $\pm .015$.xxx $\pm .005$ ANGLES: MACHINED $\pm 0^{\circ} 30'$ OTHERS $\pm 5^{\circ}$ CONCENTRICITY: .005 T.I.R. BREAK CORNERS: .005 MIN. FILLET RADIUS: .030 - .060 SURFACE FINISH: 125 RMS		Hammonds HAMMONDS TECHNICAL SERVICES INC www.hammondscos.com	
COATING:		THIS DOCUMENT CONTAINS INFORMATION WHICH IS PROPRIETARY TO HAMMONDS TECHNICAL SERVICES INC. THE INFORMATION CONTAINED HEREIN SHALL NOT BE DISCLOSED, DUPLICATED, USED IN WHOLE OR IN PART FOR ANY PURPOSE OTHER THAN TO EVALUATE THIS DOCUMENT WITHOUT WRITTEN CONSENT OF HAMMONDS TECHNICAL SERVICES, INC.		TITLE: HTS-10-P2 GENERAL ASSEMBLY PN: HTS-10-0029	
		DRAWN: CLD	DATE: 05/08/2024	3RD ANGLE PROJECTION	
		ENGR: S.S.	DATE: 01/01/2023	DO NOT SCALE	
		PR MGR:	DATE:	DO NOT SCALE	
		eSIGNATURES ON FILE		DO NOT SCALE	
		SCALE: NTS	WEIGHT: 190.04 LBS	SHEET 4 OF 4	